

Sound Ratings

	<u>Ratings</u>	
	IIC	STC
PROFLEX™ 40 CISM		
8" concrete slab	42	57
8" concrete slab with acoustic ceiling	54	64
8" concrete slab with 5/8" Gypsum ceiling	72	72
PROFLEX™ 70 SSC		
8" concrete slab with acoustic ceiling	54	66
8" concrete slab with 5/8" Gypsum ceiling	72	72
6" concrete slab ASTM E-2179 Delta IIC	10-13	
PROFLEX™ 90 MSC		
8" concrete slab with Gypsum ceiling	68	72
6" concrete slab ASTM E-2179 Delta IIC	11-15	
PROFLEX™ 200 USC		
6" concrete slab ASTM E-2179 Delta IIC	20	

TESTING METHODS:

FIIC = ASTM E-1007
 IIC = ASTM E-492, E-989
 STC = ASTM E-90
 Delta IIC = ASTM E-2179

Abbreviations: ASTM = American Society for Testing and Materials
 IIC = Impact Insulation Class
 STC = Sound Transmission Class
 FIIC = Field Impact Insulation Class

Proflex Products, Inc.
 3406 Dean Street Naples, FL 34104
 877-5PROFLEX Fax: 877-283-1511

www.proflexcism.com

For additional technical support, contact 877-538-3437

Proudly made in the U.S.A.